Developmental Brain Research, 55 (1990) 298–299
Elsevier

Author Index

Abrams, R.M., see Burchfield, D.J., 249
Aikawa, H., see Yamamoto, M., 55
Akiyama, Ch., see Yamamoto, M., 55
Allen, N.D., Keverne, E.B. and Surani, M.A., A position-dependent transgene reveals patterns of gene expression in the developing brain, 181
Amsel, A., see Wigal, S.B.E., 161
Ashwell, K., Microglia and cell death in the developing mouse cerebellum, 219
Audesirk, G., Audesirk, T., Ferguson, C., Lomme, M., Shugarts, D., Rosack, J., Caracciolo, P., Gisi, T. and Nichols, P., L-Type calcium channels may regulate neurite initiation in in cultured chick embryo brain neurons and N1E-115 neuroblastoma cells, 109
Audesirk, T., see Audesirk, G., 109

Berry, M., see Chan, C.L.H., 275
Burchfield, D.J., Abrams, R.M. and Hutchison, A.A., Local cerebral glucose utilization in normoxemic and hypoxemic newborn lambs, 249
Butler, D., see Crandall, J.E., 87

Caracciolo, P., see Audesirk, G., 109
Chan, C.L.H., Wigley, C.B. and Berry, M., Oligodendrocyte-type 2 astrocyte (O-2A) progenitor cells from neonatal and adult rat optic nerve differ in their responsiveness to platelet-derived growth factor, 275
Cole, T., see Tu, G.-F., 203
Crandall, J.E., Misson, J.-P. and Butler, D., The development of radial glia and radial dendrites during barrel formation in mouse somatosensory cortex, 87

Dark, J., see Spears, N., 103
Da Vanzo, J.P., see Paul, J.W., 21
Dickson, D.W., see Hutchins, K.D., 95
Duchemin, A.M., see Paul, J.W., 21
Duchier-Liris, N., see Meiniel, R., 171
Duncan, C.P., Seidler, F.J., Lappi, S.E. and Slotkin, Th.A., Dual control of DNA synthesis by α- and β-adrenergic mechanisms in normoxic and hypoxic neonatal rat brain, 29

Edelman, G.M., see Shiga, T., 209
Engle, M.J. and Volpe, J.J., Glutamine synthetase activity of developing astrocytes is inhibited in vitro by very low concentrations of lead, 283

Ferguson, C., see Audesirk, G., 109
Freese, E., see Wujek, J.R., 237

Gasc, J.-M., see Guennoun, R., 151
Geller, H.M., see Grierson, J.P., 11
Gilbert, R., see Moody-Corbett, F., 139
Gilmore, S.A., see Pippenger, M.A., 43
Gisi, R., see Audesirk, G., 109
Gould, S.J., Howard, S. and Papadaki, L., The development of ependyma in the human fetal brain: an immunohistological and electron microscopic study, 255
Greene, D.P., see Weill, C.L., 143
Grierson, J.P., Petroski, R.E., Ling, D.S.F. and Geller, H.M., Astrocyte topography and tenascin/cytotactin expression: correlation with the ability to support neuritic outgrowth, 11
Grumet, M., see Shiga, T., 209
Guennoun, R. and Gasc, J.-M., Estrogen-independent and estrogen-induced progesterone receptors, and their regulation by progestins in the hypothalamus and pituitary of the chick embryo: an immunohistochemical study, 151

Haas, H.L., see Psarropoulou, C., 147
Hahm, J.-O., see Ramirez, J.R., 1
Haleem-Smith, H., see Wujek, J.R., 237
Harada, K., Shingai, R. and Ito, H., Hippocampal neurotrophic factors influence the perikaryal size of septal acetylcholinesterase-containing neurons in culture, 293
Howard, S., see Gould, S.J., 255
Hutchins, K.D., Dickson, D.W., Rashbaum, W.K. and Lyman, W.D., Localization of morphologically distinct microglial populations in the developing human fetal brain: implications for ontogeny, 95
Hutchison, A.A., see Burchfield, D.J., 249

Iny, L.J., see Mitchell, J.B., 231
Ito, H., see Harada, K., 293

Jhaveri, S., see Ramirez, J.R., 1
Johnson Jr., E.M., see Wanaka, A., 288

Kachele, D.L., see Lasiter, P.S., 57
Karkhanis, A., see Negishi, K., 127
Keverne, E.B., see Allen, N.D., 181
Kostopoulos, G., see Psarropoulou, C., 147

Lan, Y.T., see Wujek, J.R., 237
Lappi, S.E., see Duncan, C.P., 29
Lasiter, P.S. and Kachele, D.L., Effects of early postnatal receptor damage on development of gustatory recipient zones within the nucleus of the solitary tract, 57
Ling, D.S.F., see Grierson, J.P., 11
Lipsky, R., see Wujek, J.R., 237
Lomme, M., see Audesirk, G., 109
Lyman, W.D., see Hutchins, K.D., 95

Meaney, M.J., see Mitchell, J.B., 231
Meinecke, D.L. and Rakic, P., Developmental expression of GABA and subunits of the $GABA_A$ receptor complex in an inhibitory synaptic circuit in the rat cerebellum, 73
Meiniel, A., see Meiniel, R., 171
Meiniel, R., Molat, J.-L., Duchier-Liris, N. and Meiniel, A., Ontogenesis of the secretory epithelium of the bovine subcommissural organ. A histofluorescence study using lectins and monoclonal antibodies, 171
Meyer, J.S., see Spears, N., 103
Misson, J.-P., see Crandall, J.E., 87
Mitchell, J.B., Iny, L.J. and Meaney, M.J., The role of serotonin in the development and environmental regulation of type II corticosteroid receptor binding in rat hippocampus, 231
Molat, J.-L., see Meiniel, R., 171
Moody-Corbett, F. and Gilbert, R., Inward rectifier potassium current on embryonic *Xenopus* muscle cells at different times in culture, 139
Morgan, E.H., see Taylor, E.M., 35

Negishi, K., Stell, W.K. and Takasaki, Y., Early histogenesis of the teleostean retina: studies using a novel immunochemical marker, proliferating cell nuclear antigen (PCNA/cyclin), 121
Negishi, K., Teranishi, T., Karkhanis, A. and Stell, W.K., Emergence and development of immunoreactive cells in teleostean retinas during the perinatal period, 127
Nichols, P., see Audesirk, G., 109

Oppenheim, R.W., see Shiga, T., 209

Papadaki, L., see Gould, S.J., 255
Paul, J.W., Thanh Quach, T., Duchemin, A.M., Schrier, B.K. and Da Vanzo, J.P., 1,1,3-Tricyano-2-amino-1-propene (Triap): a small molecule which mimics or potentiates nerve growth factor, 21
Petroski, R.E., see Grierson, J.P., 11
Pippenger, M.A., Sims, T.J. and Gilmore, S.A., Development of the rat corticospinal tract through an altered glial environment, 43
Psarropoulou, C., Kostopoulos, G. and Haas, H.L., An electrophysiological study of the ontogenesis of adenosine receptors in the CA1 area of rat hippocampus, 147

Rakic, P., see Meinecke, D.L., 73
Ramirez, J.R., Jhaveri, S., Hahm, J.-O. and Schneider, G.E., Maturation of projections from occipital cortex to the ventrolateral geniculate and superior colliculus in postnatal hamsters, 1
Rashbaum, W.K., see Hutchins, K.D., 95
Rosack, J., see Audesirk, G., 109

Sanderson, K.J. and Weller, W.L., Gradients of neurogenesis in possum neocortex, 269
Schneider, G.E., see Ramirez, J.R., 1
Schreiber, G., see Tu, G.-F., 203
Schrier, B.K., see Paul, J.W., 21
Seidler, F.J., see Duncan, C.P., 29

Developmental Brain Research, 55 (1990) 298–299
Elsevier

Author Index

Abrams, R.M., see Burchfield, D.J., 249
Aikawa, H., see Yamamoto, M., 55
Akiyama, Ch., see Yamamoto, M., 55
Allen, N.D., Keverne, E.B. and Surani, M.A., A position-dependent transgene reveals patterns of gene expression in the developing brain, 181
Amsel, A., see Wigal, S.B.E., 161
Ashwell, K., Microglia and cell death in the developing mouse cerebellum, 219
Audesirk, G., Audesirk, T., Ferguson, C., Lomme, M., Shugarts, D., Rosack, J., Caracciolo, P., Gisi, T. and Nichols, P., L-Type calcium channels may regulate neurite initiation in in cultured chick embryo brain neurons and N1E-115 neuroblastoma cells, 109
Audesirk, T., see Audesirk, G., 109

Berry, M., see Chan, C.L.H., 275
Burchfield, D.J., Abrams, R.M. and Hutchison, A.A., Local cerebral glucose utilization in normoxemic and hypoxemic newborn lambs, 249
Butler, D., see Crandall, J.E., 87

Caracciolo, P., see Audesirk, G., 109
Chan, C.L.H., Wigley, C.B. and Berry, M., Oligodendrocyte-type 2 astrocyte (O-2A) progenitor cells from neonatal and adult rat optic nerve differ in their responsiveness to platelet-derived growth factor, 275
Cole, T., see Tu, G.-F., 203
Crandall, J.E., Misson, J.-P. and Butler, D., The development of radial glia and radial dendrites during barrel formation in mouse somatosensory cortex, 87

Dark, J., see Spears, N., 103
Da Vanzo, J.P., see Paul, J.W., 21
Dickson, D.W., see Hutchins, K.D., 95
Duchemin, A.M., see Paul, J.W., 21
Duchier-Liris, N., see Meiniel, R., 171
Duncan, C.P., Seidler, F.J., Lappi, S.E. and Slotkin, Th.A., Dual control of DNA synthesis by α- and β-adrenergic mechanisms in normoxic and hypoxic neonatal rat brain, 29

Edelman, G.M., see Shiga, T., 209
Engle, M.J. and Volpe, J.J., Glutamine synthetase activity of developing astrocytes is inhibited in vitro by very low concentrations of lead, 283

Ferguson, C., see Audesirk, G., 109
Freese, E., see Wujek, J.R., 237

Gasc, J.-M., see Guennoun, R., 151
Geller, H.M., see Grierson, J.P., 11
Gilbert, R., see Moody-Corbett, F., 139
Gilmore, S.A., see Pippenger, M.A., 43
Gisi, R., see Audesirk, G., 109
Gould, S.J., Howard, S. and Papadaki, L., The development of ependyma in the human fetal brain: an immunohistological and electron microscopic study, 255
Greene, D.P., see Weill, C.L., 143
Grierson, J.P., Petroski, R.E., Ling, D.S.F. and Geller, H.M., Astrocyte topography and tenascin/cytotactin expression: correlation with the ability to support neuritic outgrowth, 11
Grumet, M., see Shiga, T., 209
Guennoun, R. and Gasc, J.-M., Estrogen-independent and estrogen-induced progesterone receptors, and their regulation by progestins in the hypothalamus and pituitary of the chick embryo: an immunohistochemical study, 151

Haas, H.L., see Psarropoulou, C., 147
Hahm, J.-O., see Ramirez, J.R., 1
Haleem-Smith, H., see Wujek, J.R., 237
Harada, K., Shingai, R. and Ito, H., Hippocampal neurotrophic factors influence the perikaryal size of septal acetylcholinesterase-containing neurons in culture, 293
Howard, S., see Gould, S.J., 255
Hutchins, K.D., Dickson, D.W., Rashbaum, W.K. and Lyman, W.D., Localization of morphologically distinct microglial populations in the developing human fetal brain: implications for ontogeny, 95
Hutchison, A.A., see Burchfield, D.J., 249

Iny, L.J., see Mitchell, J.B., 231
Ito, H., see Harada, K., 293

Jhaveri, S., see Ramirez, J.R., 1
Johnson Jr., E.M., see Wanaka, A., 288

Kachele, D.L., see Lasiter, P.S., 57
Karkhanis, A., see Negishi, K., 127
Keverne, E.B., see Allen, N.D., 181
Kostopoulos, G., see Psarropoulou, C., 147

Lan, Y.T., see Wujek, J.R., 237
Lappi, S.E., see Duncan, C.P., 29
Lasiter, P.S. and Kachele, D.L., Effects of early postnatal receptor damage on development of gustatory recipient zones within the nucleus of the solitary tract, 57
Ling, D.S.F., see Grierson, J.P., 11
Lipsky, R., see Wujek, J.R., 237
Lomme, M., see Audesirk, G., 109
Lyman, W.D., see Hutchins, K.D., 95

Meaney, M.J., see Mitchell, J.B., 231
Meinecke, D.L. and Rakic, P., Developmental expression of GABA and subunits of the $GABA_A$ receptor complex in an inhibitory synaptic circuit in the rat cerebellum, 73
Meiniel, A., see Meiniel, R., 171
Meiniel, R., Molat, J.-L., Duchier-Liris, N. and Meiniel, A., Ontogenesis of the secretory epithelium of the bovine subcommissural organ. A histofluorescence study using lectins and monoclonal antibodies, 171
Meyer, J.S., see Spears, N., 103
Misson, J.-P., see Crandall, J.E., 87
Mitchell, J.B., Iny, L.J. and Meaney, M.J., The role of serotonin in the development and environmental regulation of type II corticosteroid receptor binding in rat hippocampus, 231
Molat, J.-L., see Meiniel, R., 171
Moody-Corbett, F. and Gilbert, R., Inward rectifier potassium current on embryonic *Xenopus* muscle cells at different times in culture, 139
Morgan, E.H., see Taylor, E.M., 35

Negishi, K., Stell, W.K. and Takasaki, Y., Early histogenesis of the teleostean retina: studies using a novel immunochemical marker, proliferating cell nuclear antigen (PCNA/cyclin), 121
Negishi, K., Teranishi, T., Karkhanis, A. and Stell, W.K., Emergence and development of immunoreactive cells in teleostean retinas during the perinatal period, 127
Nichols, P., see Audesirk, G., 109

Oppenheim, R.W., see Shiga, T., 209

Papadaki, L., see Gould, S.J., 255
Paul, J.W., Thanh Quach, T., Duchemin, A.M., Schrier, B.K. and Da Vanzo, J.P., 1,1,3-Tricyano-2-amino-1-propene (Triap): a small molecule which mimics or potentiates nerve growth factor, 21
Petroski, R.E., see Grierson, J.P., 11
Pippenger, M.A., Sims, T.J. and Gilmore, S.A., Development of the rat corticospinal tract through an altered glial environment, 43
Psarropoulou, C., Kostopoulos, G. and Haas, H.L., An electrophysiological study of the ontogenesis of adenosine receptors in the CA1 area of rat hippocampus, 147

Rakic, P., see Meinecke, D.L., 73
Ramirez, J.R., Jhaveri, S., Hahm, J.-O. and Schneider, G.E., Maturation of projections from occipital cortex to the ventrolateral geniculate and superior colliculus in postnatal hamsters, 1
Rashbaum, W.K., see Hutchins, K.D., 95
Rosack, J., see Audesirk, G., 109

Sanderson, K.J. and Weller, W.L., Gradients of neurogenesis in possum neocortex, 269
Schneider, G.E., see Ramirez, J.R., 1
Schreiber, G., see Tu, G.-F., 203
Schrier, B.K., see Paul, J.W., 21
Seidler, F.J., see Duncan, C.P., 29

Shiga, T., Oppenheim, R.W., Grumet, M. and Edelman, G.M., Neuron-glia cell adhesion molecule (Ng-CAM) expression in the chick embryo spinal cord: observations on the earliest developing intersegmental interneurons, 209
Shingai, R., see Harada, K., 293
Shugarts, D., see Audesirk, G., 109
Sims, T.J., see Pippenger, M.A., 43
Slotkin, Th.A., see Duncan, C.P., 29
Southwell, B.R., see Tu, G.-F., 203
Spears, N., Meyer, J.S., Whaling, C.S., Wade, G.N., Zucker, I. and Dark, J., Long day lengths enhance myelination of midbrain and hindbrain regions of developing meadow voles, 103
Stell, W.K., see Negishi, K., 121
Stell, W.K., see Negishi, K., 127
Surani, M.A., see Allen, N.D., 181

Takasaki, Y., see Negishi, K., 121
Taylor, E.M. and Morgan, E.H., Developmental changes in transferrin and iron uptake by the brain in the rat, 35
Teranishi, T., see Negishi, K., 127
Thanh Quach, T., see Paul, J.W., 21
Tu, G.-F., Cole, T., Southwell, B.R. and Schreiber, G., Expression of the genes for transthyretin, cystatin C and β A4 amyloid precursor protein in sheep choroid plexus during development, 203

Volpe, J.J., see Engle, M.J., 283

Wade, G.N., see Spears, N., 103
Wanaka, A. and Johnson Jr., E.M., Developmental study of nerve growth factor receptor mRNA expression in the postnatal rat cerebellum, 288
Weill, C.L. and Greene, D.P., The prevention of natural motoneuron cell death by dibutyryl-cyclic GMP in the spinal cord of White Leghorn chick embryos, 143
Weller, W.L., see Sanderson, K.J., 269
Whaling, C.S., see Spears, N., 103
Wigal, S.B.E., Amsel, A. and Wilcox, R.E., Fetal ethanol exposure diminishes hippocampal β-adrenergic receptor density while sparing muscarinic receptors during development, 161
Wigley, C.B., see Chan, C.L.H., 275
Wilcox, R.E., see Wigal, S.B.E., 161
Wujek, J.R., Haleem-Smith, H., Yamada, Y., Lipsky, R., Lan, Y.T. and Freese, E., Evidence that the B2 chain of laminin is responsible for the neurite outgrowth-promoting activity of astrocyte extracellular matrix, 237

Yamada, Y., see Wujek, J.R., 237
Yamamoto, M., Akiyama, Ch. and Aikawa, H., D-Penicillamine-induced copper deficiency in suckling mice: neurological abnormalities and brain mitochondrial enzyme activities, 55

Zhou, F.C., Four patterns of laminin-immunoreactive structure in developing rat brain, 191
Zucker, I., see Spears, N., 103